

THE CORPORATION OF THE CITY OF FERNIE

MEMORIAL MARKER PERMIT

Fee: \$_____ (10% payable to Cemetery Care Trust Fund), Received From:

Name: _____
Surname Middle Name First Name

Address: _____

Phone: _____
(Residence) Business Fax No. email address

Section: _____ Block _____ Plot _____

Memorial Tablet Size: Single _____ Double _____

Concrete Strip: _____ Cast in place: _____ Type of Marker: Pillow: _____ Upright: _____ Flat: _____

Veteran: Yes: _____ No: _____ Legion Section: Yes: _____ No: _____

Deceased's

Name: _____
First Middle Last First Middle Last

Dates: _____
Born - Day/Month/Year Deceased - Day/Month/Year Born - Day/Month/Year Deceased - Day/Month/Year

Permission is hereby given to install a memorial marker to the City of Fernie specifications, in accordance with the City of Fernie Cemetery Bylaw, by the Contractor listed below. I understand that the City of Fernie is not responsible for the care and maintenance of the memorial marker after installation by the contractor listed below.

Name: Surname/Initial/First Signature Date: Day/Month/Year

Name of Contractor: _____
Company Address

Representative's Name Phone Fax Email

Finance Department (Office Use Only)

Operations Department (Office Use Only)

Memorial Marker Permit Fee Received:
\$ _____

Installation Date: _____ Inspection Date: _____

Signature: _____ Title: _____

Permit filed (Date): _____ Computer updated: _____

Section _____ Block _____ Plot _____

Map Updated: _____ (Initial)

(Initial)

MEMORIAL MARKERS

All markers must be made of stone or bronze.

No more than 1 concrete base per grave. All bases flush with ground.

Minimum 1 marker for 2 graves (ie. 1 marker for 3 graves not allowed)

Maximum 2 markers on a single grave provided they are on a single base.

Section A to K (Concrete Strip NOT Supplied by City)

Upright Markers:

- Markers must be placed on concrete bases 24" wide x 48" long and 4" in depth.
- Marker base maximum size 20" wide x 44" long (clearance of 2" from edge of concrete base both length and width).
- Maximum height is 32".

Flat Markers:

- May be placed without a concrete base with marker set so top surface is flush with surrounding ground max 24" wide x 48" long
- Concrete base maximum 24" wide x 48" long and 4" in depth
- Marker base on concrete maximum 20" wide x 44" long (clearance of 2" from edge of concrete base both length and width).

Cremation and Regular Full Plots (Concrete Base Supplied 20" w x 46" l)

- Marker height maximum is 32" high,
- Marker base maximum size 17" wide x 44" long (clearance of 2" from edge of concrete base both length and width, and 1" from the centre of concrete strip).

Legion Section

- Flat markers only – no upright markers allowed.
- Marker or base set flush with the ground.
- May be placed without a concrete base with marker set so top surface is flush with surrounding ground max 24" wide x 48" long
- Concrete base maximum 24" wide x 48" long and 4" in depth
- Marker base on concrete maximum 20" wide x 44" long (clearance of 2" from edge of concrete base both length and width).